



Health	1
Fire	0
Reactivity	0
Personal Protection	E

Material Safety Data Sheet Diatomaceous earth MSDS

Section 1: Chemical Product and Company Identification

Product Name: Diatomaceous earth

Catalog Codes: SLD2920

CAS#: 68855-54-9

RTECS: Not applicable.

TSCA: TSCA 8(b) inventory: Diatomaceous earth; Quartz; Cristobalite

CI#: Not available.

Synonym: Celite; Aqua-Cel; Silica; Flux Calcined Diatomaceous Earth; Kieselguhr

Chemical Name: Silica

Chemical Formula: SiO₂

Contact Information:

Sciencelab.com, Inc.
14025 Smith Rd.
Houston, Texas 77396

US Sales: **1-800-901-7247**
International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:
1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Cristobalite	14464-46-1	<40
Quartz	14808-60-7	<4

Toxicological Data on Ingredients: Cristobalite LD50: Not available. LC50: Not available. Quartz LD50: Not available. LC50: Not available. LCL [Human] - Route - Inhalation; Dose: 300ug/m³/10Y

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of inhalation (lung irritant). Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion.

Potential Chronic Health Effects:

Very hazardous in case of inhalation.

CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, 1 (Clear evidence.) by NTP, + (Proven.) by OSHA, + (Proven.) by NIOSH [Cristobalite]. Classified A2 (Suspected for human.) by ACGIH [Cristobalite]. Classified 1 (Proven for human.) by IARC, 1 (Clear evidence.) by NTP, + (Proven.) by OSHA, + (Proven.) by NIOSH [Quartz]. Classified A2 (Suspected for human.) by ACGIH [Quartz].

MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.
DEVELOPMENTAL TOXICITY: Not available.
The substance may be toxic to lungs, upper respiratory tract.
Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

Serious Skin Contact: Not available.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Slightly explosive in presence of oxidizing materials.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Powerful oxiders may cause fire. (cristobalite)

Special Remarks on Explosion Hazards: Powerful oxiders may cause explosions. (Cristobalite)

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by

spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up.. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If you feel unwell, seek medical attention and show the label when possible. Keep away from incompatibles such as oxidizing agents.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 24°C (75.2°F).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

Cristobalite

TWA: 0.05 (mg/m³) from ACGIH (TLV) [United States] Inhalation Respirable.

TWA: 0.05 (mg/m³) from OSHA (PEL) [United States] Inhalation Respirable.

TWA: 0.3 (mg/m³) [United Kingdom (UK)] Inhalation

TWA: 0.15 (mg/m³) [Canada] Inhalation Respirable.

TWA: 0.05 (mg/m³) [Canada] Inhalation Respirable.

Quartz

TWA: 0.05 (mg/m³) from ACGIH (TLV) [United States] [1999] Inhalation Respirable.

TWA: 0.1 (mg/m³) from OSHA (PEL) [United States] Inhalation Respirable.

TWA: 0.3 (mg/m³) [United Kingdom (UK)] Inhalation Respirable.

TWA: 0.2 (mg/m³) [Australia] Inhalation

TWA: 0.1 (mg/m³) [Canada] Inhalation Respirable. Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Powdered solid.)

Odor: Odorless.

Taste: Not available.

Molecular Weight: Not applicable.

Color: White.

pH (1% soln/water): Not applicable.

Boiling Point: Not available.

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: 2.3 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: The product is insoluble in water and oil.

Ionicity (in Water): Not available.

Dispersion Properties: Is not dispersed in cold water, hot water.

Solubility:

Insoluble in cold water, hot water, methanol, diethyl ether, n-octanol, acetone.

Soluble in hydrofluoric acid.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatibles, dust generation.

Incompatibility with various substances: Reactive with oxidizing agents.

Corrosivity: Not available.

Special Remarks on Reactivity:

Incompatibility with powerful oxidizers: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride, hydrogen peroxide, etc.; Incompatible with acetylene and ammonia. This chemical is attacked by Hydrogen Fluoride. Silica will dissolve in Hydrofluoric Acid and produce the corrosive gas Silicon Tetrafluoride (SiF₄). (Cristobalite)

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals:

LD50: Not available.

LC50: Not available.

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified 1 (Proven for human.) by IARC, 1 (Clear evidence.) by NTP, + (Proven.) by OSHA, + (Proven.) by NIOSH [Cristobalite]. Classified A2 (Suspected for human.) by ACGIH [Cristobalite].

Classified 1 (Proven for human.) by IARC, 1 (Clear evidence.) by NTP, + (Proven.) by OSHA, + (Proven.) by NIOSH [Quartz]. Classified A2 (Suspected for human.) by ACGIH [Quartz].
May cause damage to the following organs: lungs, upper respiratory tract.

Other Toxic Effects on Humans:

Hazardous in case of inhalation (lung irritant).
Slightly hazardous in case of skin contact (irritant), of ingestion.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May contain up to 44% crystalline silica which may cause cancer (tumorigenic). Crystalline silica has been identified by IARC as a class 1 carcinogen.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: No adverse health effects expected.

Eyes: May cause eye irritation.

Ingestion: No adverse health effects expected.

Inhalation: Affects respiration and irritates respiratory tract. Acute pneumoconiosis from overwhelming exposure to silica dust has occurred. Coughing and irritation of throat are early symptoms.

Inhalation of quartz is classified as a human carcinogen. Risk of cancer depends upon duration and level of exposure. May also affect liver.

Chronic exposure to quartz can also cause silicosis, a form of lung scarring that can cause shortness of breath, reduced lung function. May also affect blood.

Aggravation of Pre-existing Conditions: Inhalation may increase the progression of tuberculosis; susceptibility is apparently not increased. Persons with impaired respiratory function may be more susceptible to the effects of this substance. Smoking can increase the risk of lung injury.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute:

Cristobalite; Quartz

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Cristobalite; Quartz

Pennsylvania RTK: Cristobalite; Quartz; Diatomaceous Earth

Florida: Cristobalite; Quartz

Minnesota: Cristobalite; Quartz

Massachusetts RTK: Cristobalite; Quartz

New Jersey: Cristobalite; Quartz; Diatomaceous Earth

TSCA 8(b) inventory: Diatomaceous earth; Quartz; Cristobalite

Other Regulations: EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC):

R36/37- Irritating to eyes and respiratory system.

R45- May cause cancer.

S2- Keep out of the reach of children.

S46- If swallowed, seek medical advice immediately and show this container or label.

S53- Avoid exposure - obtain special instructions before use.

HMIS (U.S.A.):

Health Hazard: 1

Fire Hazard: 0

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves.

Lab coat.

Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Safety glasses.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/09/2005 05:06 PM

Last Updated: 11/06/2008 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.